



Hx Cartro Carton Printer







Ideal for marking barcodes logos and dates onto corrugated boxes with a maximum print height of 36mm







Ideal for marking fade-proof and long lasting barcodes and date codes for secondary packaging





MAINTENANCE-FREE

Operating the printer is simple and there is no factory maintenance (with Technical Engineer visit) needed to keep the printer's performance.



LEGIBLE & DURABLE PRINTS

Uses pigment-based ink that produces clear, legible, and long lasting print that are more durable and resistant to fading, water, and UV lights.



USER FRIENDLY PRINTER

Control and design messge using any smart device and there is no need to use SD card to transfer any messages. Cartridge replacement is externely easy to perform.



SMALL FOOTPRINT

The printer does not have any bulky parts as it is designed to offer flexibility and compatibility in integration to any secondary packaging lines.

SPECIFICATIONS

CONTROLLER

DISPLAY	Optional Tablet 10" with Anti-theft Lock
MESSAGE DESIGN	1)Web-based Message Editor
	2) Vanguard Create: Windows-based Message Design Software
MESSAGE CAPACITY	Unlimited (within Tablet/Windows PC)
START & STOP TIME	Immediate
PASSWORD PROTECTION	Yes
ALARM	Built in beacon, 128*64 pixel OLED, Buzzer
COMPRESSED AIR REQUIRED	No
NUMBER OF PRINTHEADS	1
SYSTEM LANGUAGE	German, Japanese, Chinese, Portuguese, Spanish, Thai, Turkish (other languages upon request)
PRODUCT CERTIFICATION	CE
WARRANTY	12-month limited warranty (Terms & conditions apply)

CONNECTIONS & INTEGRATION

	710 (11 0 11
CONNECTIVITY	Easy connectivity based on customer needs: Wi Fi (Direct and Access Point connections) Isolated RS232 (optional)
	USB Cable
POWER SUPPLY	110 to 220 VAC
ENCODER	Optional
TWO OR THREE COLOR EXTERNAL BEACON	Optional
PRINT SENSOR	Two built-in sensors (Left & Right) External Sensor (optional)
MOUNTING & STAND	T-bracket mounting or Stand-alone Tripod Stand

INK SOLUTION

INK TYPE	Pigment-based ink; Standard ink cassette
COLOUR	Black (oil-based)
INK CASSETTE DIMENSION	163mm x 103.5 mm x 39mm
THROW DISTANCE	up to 8mm
INK RECOGNITION	Automatic

For more information, please visit our website:

www.maplejet.com

T | +91 120 438 8841 E | sales@maplejet-india.com E-73, Sector 63, Noida, Uttar Pradesh, India

PRINTING FEATURES

RESOLUTION	180 dpi
MAXIMUM PRINT SPEED	40m/min
LOGO PRINTING OPTION	Yes
HEIGHT RANGE OF PRINTABLE CHARACTERS	up to 36mm (~1.4")
NUMBER OF PRINT LINES	up to 18 (2mm each line)
PRINT LANGUAGES	All available Windows languages and fonts
FONTS	Allows users to load fonts they need
BARCODE PRINTING	All types of barcodes
DATE FORMAT	Variety of date format
COUNTERS	Print, message, and user-defined counter available
MESSSAGE COMPONENTS	Text Date Time Logo Counter Shift Barcode External Data Lot Number Alphanumeric

PHYSICAL SPECIFICATIONS

HOUSING MATERIALS	Coloured Anodized Aluminum & Stainless Steel
CONTROLLER & INK SYSTEM WEIGHT	2380gm
DIMENSION	470 mm x 220 mm x 130 mm
ENVIRONMENTAL CONDITIONS	Temperature 0-50°C, Humidity 0-80%

ADVANCED FEATURES		
AUTO NOTIFY	Events such as 'low ink level', 'printing completed', and'online data received' can be automatically communicated by choosing selected channels e.g. USB, RS232, and Wi Fi (HTTP)	
AUTO PILOT	Allows other external device to control and monitor Hx Printer. Any third party device (e.g. PLC), system, or software can send a command to Hx Printer	
DAILY PRODUCTION REPORT	Provides an hourly print report of the printer giving an overview of the complete daily production	
ECONOMY MODE	Reduces ink consumption to up to 50 % increasing print quantity	
EXTERNAL DATA	Easy integration to external devices e.g. PLC, weighing scale, etc for printing variable data. Auto calculation and printing of the product weight	
FIELD UPGRADE	Allows the printer's software to be upgraded remotely	
INK ESTIMATION CALCULATOR	Provides an estimate number of prints per cartridge based on the message and other parameters	
PRINTER HEALTH CHECK	Detects warning/s to avoid future or unwanted downtime	
ROLLOVER TIME	Easily customise time and date as to company's required production time or work shift	

